

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/627884</u>	Examiner : <u>Padgett</u>	GAU : <u>1762</u>
From: <u>CA</u>	Location: <u>IDC</u> FMF FDC	Date: <u>7/18/05</u>
Tracking #: <u>611 5641</u>		Week Date: <u>6/13/05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: The continuing data into Specification disagreed
with bibsheet when comparing the relationship between
serial numbers 09/528,885 + ~~09/681~~ 10/346560.
Also ADS seems to show all serial numbers are CIP's
of the present application. please resolve
Thank You (S)

[XRUSH] RESPONSE: _____	

	INITIALS:

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04